











NOTE TO CONTACTOR

ALL J-BOXES, CONDUIT, ETC. FOR OWNER INSTALLED EQUIPMENT SHALL BE COMPETELY INSTALLED BY CERTIFICATE OF OCCUPANCY MINUS 60 DAYS.

CARD ACCESS RISER NOTES

A. ALL CARD SWIPES SHALL BE FURNISHED AND INSTALLED BY OWNER.

B. ALL ELECTRIC DOOR STRIKES SHALL BE FURNISHED AND INSTALLED BY G.C.

C. ALL ELECTRIC DOOR STRIKE CABLES SHALL BE #16AWG TWO CONDUCTOR, STRANDED CONDUCTOR AND PLENUM RATED.

D. ALL CARD SWIPE CABLES SHALL BE ADI MODEL #WG-3216XX12 (NO

EXCEPTIONS)

E. LEAVE 10' OF SLACK OF EACH CABLE AT CARD ACCESS PANEL.

F. LEAVE 10' OF SLACK OF EACH CABLE AT CARD SWIPE AND ELECTRIC DOOR STRIKE LOCATIONS.

G. IDENTIFY ALL CABLE USING PEEL-OFF, SELF-ADHESIVE MYLAR TAPE SOLID NUMBER TYPE MARKERS AS SHOWN ABOVE.

H. THE CONTRACTOR SHALL CONTACT ADI AT 1-804-358-9914 TO ORDER CABLE (NO SUBSTITUTIONS).

GERALD ROBERDS

PROFESSIONAL ENGINEER

ATLANTA

GEORGIA

30305

455 EAST PACES FERRY ROAD, N.E.

SUITE 300

TELEPHONE (404) 237-8632 FACSIMILIE (404) 237-4161 RCE #2013-049 RMG

THIS DRAWING IS THE PROPERTY OF GERALD E. ROBERDS, P.E. AND IS NOT TO BE REPRODUCED IN WHOLE OR PART, WHOLE OR IN PART, IT IS NOT TO BE USED ON ANY OTHER PROJECT AND SHALL BE RETURNED UPON REQUEST. COPYRIGHT AS DATED GERALD E. ROBERDS, P.E. NOT VALID UNLESS SIGNED AND SEALED.



RELEASED FOR CONSTRUCTION

APPROVAL

CARMAX PE
REVISIONS

REV#	DATE	DESCRIPTION
	08 MAY 13	90% DISTRIBUTION
	30 MAY 13	100% DISTRIBUTION

AUTO SUPERSTORE

HE AUTO S

STORE 2730 F

PROJECT NO. 20-11024.02

DATE 23 MAY 13

SHEET TITLE

SYSTEMS RISER DIAGRAMS

= E4.0