


Moments of Inertia of Built-Up Sections

Example 4. Determine the moment of inertia \bar{I}_x of the built-up section shown with respect to the centroidal \bar{x} axis.




Solution.

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Part	$A (\text{in}^2)$	$y (\text{in})$	$Ay (\text{in}^3)$	$\bar{y}-y (\text{in})$	$A(\bar{y}-y)^2 (\text{in}^4)$	$I (\text{in}^4)$
Σ						

Example 5

Problem 8-28. For the built-up section shown, determine the moment of inertia and the radius of gyration of the section with respect to the horizontal centroidal axis.



Solution.

(1)	(2)	(3)	(4)	(5)
Part	A (in^2)	y (in)	Ay^2 (in^4)	I (in^4)
Σ				




TABLE A-3(a) Properties of C Shapes (American Standard Channels): U.S. Customary Units

Designation in. \times lb/ft	Area A (in. ²)	Depth d (in.)	Web Thickness t_w (in.)	Flange		Axis $x-x$			Axis $y-y$			Centroid \bar{x} (in.)	
				Width b_f (in.)	Average Thickness t_f (in.)	Axis $x-x$			Axis $y-y$				
						I (in. ⁴)	S (in. ³)	r (in.)	I (in. ⁴)	S (in. ³)	r (in.)		
C15 \times 50	14.7	15.00	0.716	3.716	0.650	404	53.8	5.24	11.0	3.78	0.867	0.798	
\times 40	11.8	15.00	0.520	3.520	0.650	349	46.5	5.44	9.23	3.37	0.886	0.777	
\times 33.9	9.96	15.00	0.400	3.400	0.650	315	42.0	5.62	8.13	3.11	0.904	0.787	
C12 \times 30	8.82	12.00	0.510	3.170	0.501	162	27.0	4.29	5.14	2.06	0.763	0.674	
\times 25	7.35	12.00	0.387	3.047	0.501	144	24.1	4.43	4.47	1.88	0.780	0.674	
\times 20.7	6.09	12.00	0.282	2.942	0.501	129	21.5	4.61	3.88	1.73	0.799	0.698	
C10 \times 30	8.82	10.00	0.673	3.033	0.436	103	20.7	3.42	3.94	1.65	0.669	0.649	
\times 25	7.35	10.00	0.526	2.886	0.436	91.2	18.2	3.52	3.36	1.48	0.676	0.617	
\times 20	5.88	10.00	0.379	2.739	0.436	78.9	15.8	3.66	2.81	1.32	0.692	0.606	
\times 15.3	4.49	10.00	0.240	2.600	0.436	67.4	13.5	3.87	2.28	1.16	0.713	0.634	
C 9 \times 20	5.88	9.00	0.448	2.648	0.413	60.9	13.5	3.22	2.42	1.17	0.642	0.583	
\times 15	4.41	9.00	0.285	2.485	0.413	51.0	11.3	3.40	1.93	1.01	0.661	0.586	
\times 13.4	3.94	9.00	0.233	2.433	0.413	47.9	10.6	3.48	1.76	0.962	0.669	0.601	
C 8 \times 18.75	5.51	8.00	0.487	2.527	0.390	44.0	11.0	2.82	1.98	1.01	0.599	0.565	
\times 13.75	4.04	8.00	0.303	2.343	0.390	36.1	9.03	2.99	1.53	0.854	0.615	0.553	
\times 11.5	3.38	8.00	0.220	2.260	0.390	32.6	8.14	3.11	1.32	0.781	0.625	0.571	
C 7 \times 14.75	4.33	7.00	0.419	2.299	0.366	27.2	7.78	2.51	1.38	0.779	0.564	0.532	
\times 12.25	3.60	7.00	0.314	2.194	0.366	24.2	6.93	2.60	1.17	0.703	0.571	0.525	
\times 9.8	2.87	7.00	0.210	2.090	0.366	21.3	6.08	2.72	0.968	0.625	0.581	0.540	
C 6 \times 13	3.83	6.00	0.437	2.157	0.343	17.4	5.80	2.13	1.05	0.642	0.525	0.514	
\times 10.5	3.09	6.00	0.314	2.034	0.343	15.2	5.06	2.22	0.866	0.564	0.529	0.499	
\times 8.2	2.40	6.00	0.200	1.920	0.343	13.1	4.38	2.34	0.693	0.492	0.537	0.511	
C 5 \times 9	2.64	5.00	0.325	1.885	0.320	8.96	3.56	1.83	0.632	0.450	0.489	0.478	
\times 6.7	1.97	5.00	0.190	1.750	0.320	7.49	3.00	1.95	0.479	0.378	0.493	0.484	
C 4 \times 7.25	2.13	4.00	0.321	1.721	0.296	4.59	2.29	1.47	0.433	0.343	0.450	0.459	
\times 5.4	1.59	4.00	0.184	1.584	0.296	3.85	1.93	1.56	0.319	0.283	0.449	0.457	
C 3 \times 6	1.76	3.00	0.356	1.596	0.273	2.07	1.38	1.08	0.305	0.268	0.416	0.455	
\times 5	1.47	3.00	0.258	1.498	0.273	1.85	1.24	1.12	0.247	0.233	0.410	0.438	
\times 4.1	1.21	3.00	0.170	1.410	0.273	1.66	1.10	1.17	0.197	0.202	0.404	0.436	