

Job Name: Accubid Office Building
Job Number: Accubid Office Building - Lori Brown - ACT3
Job Path: D:\Accubid\JOBDATA
Job Category:
Bid Due Date: 12/9/2021 5:00 PM
Estimator: Lori Brown
Telephone:
Cell: 530.519.1147
Fax:
Email: labrown2@csuchico.edu

Starting date: 12/20/2021
Completion date: 4/25/2022
Duration: 4.17 Months

Job address:

Accubid Office Building
 Attn: Lori Brown
 1010 Marauder Street
 Chico, CA 95973
 US
 Cell: 530.519.1147
 E-mail: labrown2@csuchico.edu

Client address:

<https://www.google.com/maps/place/1010+Marauder+St,+Chico,+CA+95973/@39.8011347,-121.8502143,3a,75y,56.66h,90t/data=!3m8!1e1!3m6!1sA7FTO-8B94dX1gya1kOF8A!2e0!3e1!1!6s%2F%2Fgeo1.ggpht.c>

06 FIXTURES

06 FIXTURES / BASEMENT

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	A - 2X4 FL 4L T-BAR LAY-IN	1	0.00	E	0.00	0.60	E	0.60	Quoted	Normal
2	A2 - 2X4 FL 2L T-BAR LAY-IN	22	0.00	E	0.00	0.60	E	13.20	Quoted	Normal
3	B - 2X2 FL 2UL T-BAR LAY-IN	1	0.00	E	0.00	0.55	E	0.55	Quoted	Normal
4	F - 4' FL 2L STRIP CHAIN HUNG	20	0.00	E	0.00	0.40	E	8.00	Quoted	Normal
5	G - 100W VP INC ELEVATOR PIT	1	0.00	E	0.00	0.60	E	0.60	Quoted	Normal
6	H - 4' FL 2L SURF STAIRWELL	2	0.00	E	0.00	0.75	E	1.50	Quoted	Normal
7	M - 175W MH HID WALL PACK	1	0.00	E	0.00	1.00	E	1.00	Quoted	Normal
8	X - LED EXIT/EM UNIT T-BAR	5	0.00	E	0.00	0.75	E	3.75	Quoted	Normal
9	Y-EM BATTERY UNIT - SINGLE HEAD	6	0.00	E	0.00	1.20	E	7.20	Quoted	Normal
10	1/2" CONDUIT - EMT	80	25.40	C	20.32	2.88	C	2.30	Normal	Normal
11	1/2" CONN SS DC - EMT	12	52.99	C	6.36	8.00	C	0.96	Normal	Normal
12	1/2" CONN SS STL - EMT	2	98.10	C	1.96	8.00	C	0.16	Normal	Normal
13	1/2" COUPLING SS STL - EMT	1	130.18	C	1.30	0.00	C	0.00	Normal	No Labor
14	1/2" 1-H STRAP - EMT - STEEL	12	20.02	C	2.40	4.90	C	0.59	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
15	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	5	23.80	C	1.19	4.60	C	0.23	Normal	Normal
16	1/2" FLEX - ALUMINUM	35	44.58	C	15.60	3.00	C	1.05	Normal	Normal
17	1/2" CONN FLEX DC SQUEEZE STRAIGHT	10	140.80	C	14.08	10.00	C	1.00	Normal	Normal
18	#12 THHN BLACK	384	147.45	M	56.62	5.15	M	1.98	Normal	Normal
19	#14/2C CABLE MC - STL ARMOR	288	687.40	M	197.97	13.50	M	3.89	Normal	Normal
20	3/8" CONN AC-90 / MC DC SS	88	34.77	C	30.60	6.00	C	5.28	Normal	Normal
21	3/8" CABLE SUPPORT FOR ROD OR FLNG	24	26.91	C	6.46	3.80	C	0.91	Normal	Normal
22	WIRE CONN YEL (#18 TO #12)	174	9.38	C	16.32	6.00	C	10.44	Normal	Normal
23	WIRE CONN RED (#16 TO #10)	3	12.27	C	0.37	7.00	C	0.21	Normal	Normal
24	4x 1 1/2" OCT BOX COMB KO	9	181.28	C	16.32	22.00	C	1.98	Normal	Normal
25	4x 1 1/2" SQ BOX COMB KO	6	261.57	C	15.69	23.00	C	1.38	Normal	Normal
26	4" SQ 1G PLSTR RING 5/8" RISE	6	166.95	C	10.02	2.50	C	0.15	Normal	Normal
27	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	10	4.26	C	0.43	6.00	C	0.60	Normal	Normal
28	#12 SINGLE JACK CHAIN	120	363.51	M	43.62	5.00	M	0.60	Normal	Normal
29	#11 S-HOOK	80	10.04	C	8.03	5.00	C	4.00	Normal	Normal
30	#10x 1 P/H SELF-TAP SCREW	17	6.78	C	1.15	3.00	C	0.51	Normal	Normal
31	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	30	2.75	C	0.82	2.60	C	0.78	Normal	Normal
32	HAMMER-ON CLIP TO 1/2" FLANGE W/ 1/4-20 HOLE	40	53.49	C	21.40	6.00	C	2.40	Normal	Normal
33	TOP MNT FLUOR FIXTURE HNGR	40	43.78	C	17.51	3.00	C	1.20	Normal	Normal
34	T-BAR CLIP FOR STRAIGHT LIP LAY-IN FIXTURE	96	28.49	C	27.35	5.00	C	4.80	Normal	Normal
35	24" SPAN T-BAR HNGR FOR 1 1/2" SQ BOX	5	458.72	C	22.94	15.00	C	0.75	Normal	Normal
36	CEILING CLIP W/ 27mm STD NAIL - STL/CONC	48	0.00	C	0.00	9.00	C	4.32	Normal	Normal
37	#12 CEILING WIRE	336	0.00	C	0.00	2.00	C	6.72	Normal	Normal
38	48" 3500K 78 CRI 32W LAMP - T8	92	0.00	E	0.00	0.05	E	4.60	Quoted	Normal
39	24" 3500K 78 CRI 32W LAMP - T8 6" SPACING	2	0.00	E	0.00	0.05	E	0.10	Quoted	Normal
40	5W 2700K 82 CRI LAMP - T4 2-PIN G23	6	0.00	E	0.00	0.03	E	0.18	Quoted	Normal
41	100A/90WM-130V IF LAMP	1	0.00	E	0.00	0.03	E	0.03	Quoted	Normal
42	MVR175/U/MED MH LAMP	1	0.00	E	0.00	0.06	E	0.06	Quoted	Normal
43	FIXTURE WIRE GUARD	20	0.00	E	0.00	0.20	E	4.00	Normal	Normal
	Totals	2,142			556.83			104.56		

06 FIXTURES / FIRST FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	A - 2X4 FL 4L T-BAR LAY-IN	9	0.00	E	0.00	0.60	E	5.40	Quoted	Normal
2	A1 - 2X4 FL 3L T-BAR LAY-IN	12	0.00	E	0.00	0.60	E	7.20	Quoted	Normal
3	A2 - 2X4 FL 2L T-BAR LAY-IN	23	0.00	E	0.00	0.60	E	13.80	Quoted	Normal
4	B - 2X2 FL 2UL T-BAR LAY-IN	36	0.00	E	0.00	0.55	E	19.80	Quoted	Normal
5	C - 32W COMPACT FL DOWNLIGHT	30	0.00	E	0.00	0.60	E	18.00	Quoted	Normal
6	C1 - 100W INC DOWNLIGHT	9	0.00	E	0.00	0.60	E	5.40	Quoted	Normal
7	D - 70W MH RECESSED HD	9	0.00	E	0.00	0.90	E	8.10	Quoted	Normal
8	F - 4' FL 2L STRIP CHAIN HUNG	7	0.00	E	0.00	0.40	E	2.80	Quoted	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
9	H - 4' FL 2L SURF STAIRWELL	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
10	J - 4' FL 2L COVE STRIP	5	0.00	E	0.00	0.40	E	2.00	Quoted	Normal
11	J1 - 3' FL 2L COVE STRIP	2	0.00	E	0.00	0.35	E	0.70	Quoted	Normal
12	K - 2X4 FL 4L T-BAR LAY-IN	6	0.00	E	0.00	0.60	E	3.60	Quoted	Normal
13	M - 175W MH HID WALL PACK	3	0.00	E	0.00	1.00	E	3.00	Quoted	Normal
14	X - LED EXIT/EM UNIT T-BAR	11	0.00	E	0.00	0.75	E	8.25	Quoted	Normal
15	X2 - LED EXIT/EM UNIT DBL FACED T-BAR	2	0.00	E	0.00	0.75	E	1.50	Quoted	Normal
16	Y-EMBATTERY UNIT - SINGLE HEAD	8	0.00	E	0.00	1.20	E	9.60	Quoted	Normal
17	1/2" CONDUIT - EMT	260	25.40	C	66.04	2.88	C	7.49	Normal	Normal
18	1/2" CONN SS DC - EMT	16	52.99	C	8.48	8.00	C	1.28	Normal	Normal
19	1/2" CONN SS STL - EMT	18	98.10	C	17.66	8.00	C	1.44	Normal	Normal
20	1/2" COUPLING SS STL - EMT	9	130.18	C	11.72	0.00	C	0.00	Normal	No Labor
21	1/2" 1-H STRAP - EMT - STEEL	16	20.02	C	3.20	4.90	C	0.78	Normal	Normal
22	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	13	23.80	C	3.09	4.60	C	0.60	Normal	Normal
23	1/2" FLEX - ALUMINUM	91	44.58	C	40.57	3.00	C	2.73	Normal	Normal
24	1/2" CONN FLEX DC SQUEEZE STRAIGHT	26	140.80	C	36.61	10.00	C	2.60	Normal	Normal
25	#12 THHN BLACK	1,170	147.45	M	172.52	5.15	M	6.03	Normal	Normal
26	#14/2C CABLE MC - STL ARMOR	700	687.40	M	481.18	13.50	M	9.45	Normal	Normal
27	3/8" CONN AC-90 / MC DC SS	200	34.77	C	69.54	6.00	C	12.00	Normal	Normal
28	3/8" CABLE SUPPORT FOR ROD OR FLNG	86	26.91	C	23.14	3.80	C	3.27	Normal	Normal
29	WIRE CONN YEL (#18 TO #12)	501	9.38	C	46.99	6.00	C	30.06	Normal	Normal
30	WIRE CONN RED (#16 TO #10)	27	12.27	C	3.31	7.00	C	1.89	Normal	Normal
31	4x 1 1/2" OCT BOX COMB KO	29	181.28	C	52.57	22.00	C	6.38	Normal	Normal
32	4x 1 1/2" SQ BOX COMB KO	8	261.57	C	20.93	23.00	C	1.84	Normal	Normal
33	4" SQ 1G PLSTR RING 5/8" RISE	8	166.95	C	13.36	2.50	C	0.20	Normal	Normal
34	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	22	4.26	C	0.94	6.00	C	1.32	Normal	Normal
35	#12 SINGLE JACK CHAIN	42	363.51	M	15.27	5.00	M	0.21	Normal	Normal
36	#11 S-HOOK	28	10.04	C	2.81	5.00	C	1.40	Normal	Normal
37	3/16x3 TGL BOLT SPRING WING P/H	14	41.58	C	5.82	6.00	C	0.84	Normal	Normal
38	#10x1 P/H SELF-TAP SCREW	57	6.78	C	3.86	3.00	C	1.71	Normal	Normal
39	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	40	2.75	C	1.10	2.60	C	1.04	Normal	Normal
40	HAMMER-ON CLIP TO 1/2" FLANGE W/ 1/4-20 HOLE	14	53.49	C	7.49	6.00	C	0.84	Normal	Normal
41	TOP MNT FLUOR FIXTURE HNGR	14	43.78	C	6.13	3.00	C	0.42	Normal	Normal
42	T-BAR CLIP FOR STRAIGHT LIP LAY-IN FIXTURE	344	28.49	C	98.01	5.00	C	17.20	Normal	Normal
43	24" SPAN T-BAR HNGR FOR 1 1/2" SQ BOX	13	458.72	C	59.63	15.00	C	1.95	Normal	Normal
44	CEILING CLIP W/ 27mm STD NAIL - STL/CONC	220	0.00	C	0.00	9.00	C	19.80	Normal	Normal
45	#12 CEILING WIRE	1,540	0.00	C	0.00	2.00	C	30.80	Normal	Normal
46	48" 3500K 78 CRI 32W LAMP - T8	178	0.00	E	0.00	0.05	E	8.90	Quoted	Normal
47	24" 3500K 78 CRI 32W LAMP - T8 6" SPACING	72	0.00	E	0.00	0.05	E	3.60	Quoted	Normal
48	5W 2700K 82 CRI LAMP - T4 2-PIN G23	8	0.00	E	0.00	0.03	E	0.24	Quoted	Normal
49	32W 3500K 82 CRI LAMP - T4 4-PIN GX24q-3	30	0.00	E	0.00	0.03	E	0.90	Quoted	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
50	100A/90WM-130V IF LAMP	9	0.00	E	0.00	0.03	E	0.27	Quoted	Normal
51	MXR70/U/MED/O MH LAMP	9	0.00	E	0.00	0.06	E	0.54	Quoted	Normal
52	MVR175/U/MED MH LAMP	3	0.00	E	0.00	0.06	E	0.18	Quoted	Normal
53	FIXTURE WIRE GUARD	7	0.00	E	0.00	0.20	E	1.40	Normal	Normal
	Totals	6,018			1,271.96			293.74		

06 FIXTURES / SECOND FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	A - 2X4 FL 4L T-BAR LAY-IN	57	0.00	E	0.00	0.60	E	34.20	Quoted	Normal
2	C - 32W COMPACT FL DOWNLIGHT	21	0.00	E	0.00	0.60	E	12.60	Quoted	Normal
3	F - 4' FL 2L STRIP CHAIN HUNG	6	0.00	E	0.00	0.40	E	2.40	Quoted	Normal
4	H - 4' FL 2L SURF STAIRWELL	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
5	J - 4' FL 2L COVE STRIP	5	0.00	E	0.00	0.40	E	2.00	Quoted	Normal
6	J1 - 3' FL 2L COVE STRIP	2	0.00	E	0.00	0.35	E	0.70	Quoted	Normal
7	X - LED EXIT/EM UNIT T-BAR	1	0.00	E	0.00	0.75	E	0.75	Quoted	Normal
8	X2 - LED EXIT/EM UNIT DBL FACED T-BAR	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
9	Y-EMBATTERY UNIT - SINGLE HEAD	8	0.00	E	0.00	1.20	E	9.60	Quoted	Normal
10	1/2" CONDUIT - EMT	80	25.40	C	20.32	2.88	C	2.30	Normal	Normal
11	1/2" CONN SS DC - EMT	16	52.99	C	8.48	8.00	C	1.28	Normal	Normal
12	1/2" 1-H STRAP - EMT - STEEL	16	20.02	C	3.20	4.90	C	0.78	Normal	Normal
13	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	5	23.80	C	1.19	4.60	C	0.23	Normal	Normal
14	1/2" FLEX - ALUMINUM	35	44.58	C	15.60	3.00	C	1.05	Normal	Normal
15	1/2" CONN FLEX DC SQUEEZE STRAIGHT	10	140.80	C	14.08	10.00	C	1.00	Normal	Normal
16	#12 THHN BLACK	384	147.45	M	56.62	5.15	M	1.98	Normal	Normal
17	#14/2C CABLE MC - STL ARMOR	491	687.40	M	337.51	13.50	M	6.63	Normal	Normal
18	3/8" CONN AC-90 / MC DC SS	140	34.77	C	48.68	6.00	C	8.40	Normal	Normal
19	3/8" CABLE SUPPORT FOR ROD OR FLNG	57	26.91	C	15.34	3.80	C	2.17	Normal	Normal
20	WIRE CONN YEL (#18 TO #12)	324	9.38	C	30.39	6.00	C	19.44	Normal	Normal
21	4x 1 1/2" OCT BOX COMB KO	9	181.28	C	16.32	22.00	C	1.98	Normal	Normal
22	4x 1 1/2" SQ BOX COMB KO	8	261.57	C	20.93	23.00	C	1.84	Normal	Normal
23	4" SQ 1G PLSTR RING 5/8" RISE	8	166.95	C	13.36	2.50	C	0.20	Normal	Normal
24	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	16	4.26	C	0.68	6.00	C	0.96	Normal	Normal
25	#12 SINGLE JACK CHAIN	36	363.51	M	13.09	5.00	M	0.18	Normal	Normal
26	#11 S-HOOK	24	10.04	C	2.41	5.00	C	1.20	Normal	Normal
27	3/16x3 TGL BOLT SPRING WING P/H	14	41.58	C	5.82	6.00	C	0.84	Normal	Normal
28	#10x 1 P/H SELF-TAP SCREW	24	6.78	C	1.63	3.00	C	0.72	Normal	Normal
29	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	40	2.75	C	1.10	2.60	C	1.04	Normal	Normal
30	HAMMER-ON CLIP TO 1/2" FLANGE W/ 1/4-20 HOLE	12	53.49	C	6.42	6.00	C	0.72	Normal	Normal
31	TOP MNT FLUOR FIXTURE HNGR	12	43.78	C	5.25	3.00	C	0.36	Normal	Normal
32	T-BAR CLIP FOR STRAIGHT LIPLAY-IN FIXTURE	228	28.49	C	64.96	5.00	C	11.40	Normal	Normal
33	24" SPAN T-BAR HNGR FOR 1 1/2" SQ BOX	5	458.72	C	22.94	15.00	C	0.75	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
34	CEILING CLIP W/ 27mm STD NAIL - STL/CONC	135	0.00	C	0.00	9.00	C	12.15	Normal	Normal
35	#12 CEILING WIRE	945	0.00	C	0.00	2.00	C	18.90	Normal	Normal
36	48" 3500K 78 CRI 32W LAMP - T8	262	0.00	E	0.00	0.05	E	13.10	Quoted	Normal
37	5W 2700K 82 CRI LAMP - T4 2-PIN G23	8	0.00	E	0.00	0.03	E	0.24	Quoted	Normal
38	32W 3500K 82 CRI LAMP - T4 4-PIN GX24q-3	21	0.00	E	0.00	0.03	E	0.63	Quoted	Normal
39	FIXTURE WIRE GUARD	6	0.00	E	0.00	0.20	E	1.20	Normal	Normal
Totals		3,479			726.31			181.92		

06 FIXTURES / THIRD FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	A - 2X4 FL 4L T-BAR LAY-IN	57	0.00	E	0.00	0.60	E	34.20	Quoted	Normal
2	C - 32W COMPACT FL DOWNLIGHT	21	0.00	E	0.00	0.60	E	12.60	Quoted	Normal
3	F - 4' FL 2L STRIP CHAIN HUNG	6	0.00	E	0.00	0.40	E	2.40	Quoted	Normal
4	H - 4' FL 2L SURF STAIRWELL	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
5	J - 4' FL 2L COVE STRIP	5	0.00	E	0.00	0.40	E	2.00	Quoted	Normal
6	J1 - 3' FL 2L COVE STRIP	2	0.00	E	0.00	0.35	E	0.70	Quoted	Normal
7	X - LED EXIT/EM UNIT T-BAR	1	0.00	E	0.00	0.75	E	0.75	Quoted	Normal
8	X2 - LED EXIT/EM UNIT DBL FACED T-BAR	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
9	Y - EMBATTERY UNIT - SINGLE HEAD	8	0.00	E	0.00	1.20	E	9.60	Quoted	Normal
10	1/2" CONDUIT - EMT	80	25.40	C	20.32	2.88	C	2.30	Normal	Normal
11	1/2" CONN SS DC - EMT	16	52.99	C	8.48	8.00	C	1.28	Normal	Normal
12	1/2" 1-H STRAP - EMT - STEEL	16	20.02	C	3.20	4.90	C	0.78	Normal	Normal
13	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	5	23.80	C	1.19	4.60	C	0.23	Normal	Normal
14	1/2" FLEX - ALUMINUM	35	44.58	C	15.60	3.00	C	1.05	Normal	Normal
15	1/2" CONN FLEX DC SQUEEZE STRAIGHT	10	140.80	C	14.08	10.00	C	1.00	Normal	Normal
16	#12 THHN BLACK	384	147.45	M	56.62	5.15	M	1.98	Normal	Normal
17	#14/2C CABLE MC - STL ARMOR	491	687.40	M	337.51	13.50	M	6.63	Normal	Normal
18	3/8" CONN AC-90 / MC DC SS	140	34.77	C	48.68	6.00	C	8.40	Normal	Normal
19	3/8" CABLE SUPPORT FOR ROD OR FLNG	57	26.91	C	15.34	3.80	C	2.17	Normal	Normal
20	WIRE CONN YEL (#18 TO #12)	324	9.38	C	30.39	6.00	C	19.44	Normal	Normal
21	4x 1 1/2" OCT BOX COMB KO	9	181.28	C	16.32	22.00	C	1.98	Normal	Normal
22	4x 1 1/2" SQ BOX COMB KO	8	261.57	C	20.93	23.00	C	1.84	Normal	Normal
23	4" SQ 1G PLSTR RING 5/8" RISE	8	166.95	C	13.36	2.50	C	0.20	Normal	Normal
24	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	16	4.26	C	0.68	6.00	C	0.96	Normal	Normal
25	#12 SINGLE JACK CHAIN	36	363.51	M	13.09	5.00	M	0.18	Normal	Normal
26	#11 S-HOOK	24	10.04	C	2.41	5.00	C	1.20	Normal	Normal
27	3/16x3 TGL BOLT SPRING WING P/H	14	41.58	C	5.82	6.00	C	0.84	Normal	Normal
28	#10x 1 P/H SELF-TAP SCREW	24	6.78	C	1.63	3.00	C	0.72	Normal	Normal
29	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	40	2.75	C	1.10	2.60	C	1.04	Normal	Normal
30	HAMMER-ON CLIP TO 1/2" FLANGE W/ 1/4-20 HOLE	12	53.49	C	6.42	6.00	C	0.72	Normal	Normal
31	TOP MNT FLUOR FIXTURE HNGR	12	43.78	C	5.25	3.00	C	0.36	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
32	T-BAR CLIP FOR STRAIGHT LIP LAY-IN FIXTURE	228	28.49	C	64.96	5.00	C	11.40	Normal	Normal
33	24" SPAN T-BAR HNGR FOR 1 1/2" SQ BOX	5	458.72	C	22.94	15.00	C	0.75	Normal	Normal
34	CEILING CLIP W/ 27mm STD NAIL - STL/CONC	135	0.00	C	0.00	9.00	C	12.15	Normal	Normal
35	#12 CEILING WIRE	945	0.00	C	0.00	2.00	C	18.90	Normal	Normal
36	48" 3500K 78 CRI 32W LAMP - T8	262	0.00	E	0.00	0.05	E	13.10	Quoted	Normal
37	5W 2700K 82 CRI LAMP - T4 2-PIN G23	8	0.00	E	0.00	0.03	E	0.24	Quoted	Normal
38	32W 3500K 82 CRI LAMP - T4 4-PIN GX24q-3	21	0.00	E	0.00	0.03	E	0.63	Quoted	Normal
39	FIXTURE WIRE GUARD	6	0.00	E	0.00	0.20	E	1.20	Normal	Normal
Totals		3,479			726.31			181.92		

06 FIXTURES / FOURTH FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	A - 2X4 FL 4L T-BAR LAY-IN	57	0.00	E	0.00	0.60	E	34.20	Quoted	Normal
2	C - 32W COMPACT FL DOWNLIGHT	21	0.00	E	0.00	0.60	E	12.60	Quoted	Normal
3	F - 4' FL 2L STRIP CHAIN HUNG	6	0.00	E	0.00	0.40	E	2.40	Quoted	Normal
4	H - 4' FL 2L SURF STAIRWELL	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
5	J - 4' FL 2L COVE STRIP	5	0.00	E	0.00	0.40	E	2.00	Quoted	Normal
6	J1 - 3' FL 2L COVE STRIP	2	0.00	E	0.00	0.35	E	0.70	Quoted	Normal
7	X - LED EXIT/EM UNIT T-BAR	1	0.00	E	0.00	0.75	E	0.75	Quoted	Normal
8	X2 - LED EXIT/EM UNIT DBL FACED T-BAR	4	0.00	E	0.00	0.75	E	3.00	Quoted	Normal
9	Y-EM BATTERY UNIT - SINGLE HEAD	8	0.00	E	0.00	1.20	E	9.60	Quoted	Normal
10	1/2" CONDUIT - EMT	80	25.40	C	20.32	2.88	C	2.30	Normal	Normal
11	1/2" CONN SS DC - EMT	16	52.99	C	8.48	8.00	C	1.28	Normal	Normal
12	1/2" 1-H STRAP - EMT - STEEL	16	20.02	C	3.20	4.90	C	0.78	Normal	Normal
13	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	5	23.80	C	1.19	4.60	C	0.23	Normal	Normal
14	1/2" FLEX - ALUMINUM	35	44.58	C	15.60	3.00	C	1.05	Normal	Normal
15	1/2" CONN FLEX DC SQUEEZE STRAIGHT	10	140.80	C	14.08	10.00	C	1.00	Normal	Normal
16	#12 THHN BLACK	384	147.45	M	56.62	5.15	M	1.98	Normal	Normal
17	#14/2C CABLE MC - STL ARMOR	491	687.40	M	337.51	13.50	M	6.63	Normal	Normal
18	3/8" CONN AC-90 / MC DC SS	140	34.77	C	48.68	6.00	C	8.40	Normal	Normal
19	3/8" CABLE SUPPORT FOR ROD OR FLNG	57	26.91	C	15.34	3.80	C	2.17	Normal	Normal
20	WIRE CONN YEL (#18 TO #12)	324	9.38	C	30.39	6.00	C	19.44	Normal	Normal
21	4x 1 1/2" OCT BOX COMB KO	9	181.28	C	16.32	22.00	C	1.98	Normal	Normal
22	4x 1 1/2" SQ BOX COMB KO	8	261.57	C	20.93	23.00	C	1.84	Normal	Normal
23	4" SQ 1G PLSTR RING 5/8" RISE	8	166.95	C	13.36	2.50	C	0.20	Normal	Normal
24	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	16	4.26	C	0.68	6.00	C	0.96	Normal	Normal
25	#12 SINGLE JACK CHAIN	36	363.51	M	13.09	5.00	M	0.18	Normal	Normal
26	#11 S-HOOK	24	10.04	C	2.41	5.00	C	1.20	Normal	Normal
27	3/16x 3 TGL BOLT SPRING WING P/H	14	41.58	C	5.82	6.00	C	0.84	Normal	Normal
28	#10x 1 P/H SELF-TAP SCREW	24	6.78	C	1.63	3.00	C	0.72	Normal	Normal
29	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	40	2.75	C	1.10	2.60	C	1.04	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
30	HAMMER-ON CLIP TO 1/2" FLANGE W/ 1/4-20 HOLE	12	53.49	C	6.42	6.00	C	0.72	Normal	Normal
31	TOP MNT FLUOR FIXTURE HNGR	12	43.78	C	5.25	3.00	C	0.36	Normal	Normal
32	T-BAR CLIP FOR STRAIGHT LIP LAY-IN FIXTURE	228	28.49	C	64.96	5.00	C	11.40	Normal	Normal
33	24" SPAN T-BAR HNGR FOR 1 1/2" SQ BOX	5	458.72	C	22.94	15.00	C	0.75	Normal	Normal
34	CEILING CLIP W/ 27mm STD NAIL - STL/CONC	135	0.00	C	0.00	9.00	C	12.15	Normal	Normal
35	#12 CEILING WIRE	945	0.00	C	0.00	2.00	C	18.90	Normal	Normal
36	48" 3500K 78 CRI 32W LAMP - T8	262	0.00	E	0.00	0.05	E	13.10	Quoted	Normal
37	5W 2700K 82 CRI LAMP - T4 2-PIN G23	8	0.00	E	0.00	0.03	E	0.24	Quoted	Normal
38	32W 3500K 82 CRI LAMP - T4 4-PIN GX24q-3	21	0.00	E	0.00	0.03	E	0.63	Quoted	Normal
39	FIXTURE WIRE GUARD	6	0.00	E	0.00	0.20	E	1.20	Normal	Normal
Totals		3,479			726.31			181.92		

08 DEVICES - LIGHTING

08 DEVICES - LIGHTING / BASEMENT

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	155	25.40	C	39.37	2.88	C	4.46	Normal	Normal
2	1/2" CONN SS STL - EMT	20	98.10	C	19.62	8.00	C	1.60	Normal	Normal
3	1/2" COUPLING SS STL - EMT	11	130.18	C	14.32	0.00	C	0.00	Normal	No Labor
4	1/2" 1-H STRAP - EMT - STEEL	3	20.02	C	0.60	4.90	C	0.15	Normal	Normal
5	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	9	23.80	C	2.14	4.60	C	0.41	Normal	Normal
6	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	18	92.32	C	16.62	7.20	C	1.30	Normal	Normal
7	#12 THHN BLACK	507	147.45	M	74.76	5.15	M	2.61	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	10	261.57	C	26.16	23.00	C	2.30	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	10	166.95	C	16.70	2.50	C	0.25	Normal	Normal
10	GROUND SCREW W/ INSUL #12 LEAD	10	136.82	C	13.68	3.00	C	0.30	Normal	Normal
11	#10x 1 P/H SELF-TAP SCREW	32	6.78	C	2.17	3.00	C	0.96	Normal	Normal
12	1G TGL SWITCH PLATE - NYLON IVY	9	32.80	C	2.95	3.00	C	0.27	Normal	Normal
13	1G SWITCH COVER - FS/FD	1	441.90	C	4.42	7.00	C	0.07	Normal	Normal
14	20A 120-277V S/P SW - TOGGLE IVY (SG)	10	1,216.06	C	121.61	14.00	C	1.40	Normal	Normal
Totals		805			355.11			16.08		

08 DEVICES - LIGHTING / FIRST FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	375	25.40	C	95.25	2.88	C	10.80	Normal	Normal
2	1/2" CONN SS STL - EMT	42	98.10	C	41.20	8.00	C	3.36	Normal	Normal
3	1/2" COUPLING SS STL - EMT	25	130.18	C	32.55	0.00	C	0.00	Normal	No Labor
4	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	21	23.80	C	5.00	4.60	C	0.97	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	42	92.32	C	38.77	7.20	C	3.02	Normal	Normal
6	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	12	69.60	C	8.35	8.20	C	0.98	Normal	Normal
7	#12 THHN BLACK	1,361	147.45	M	200.68	5.15	M	7.01	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	21	261.57	C	54.93	23.00	C	4.83	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
9	4" SQ 1G PLSTR RING 5/8" RISE	21	166.95	C	35.06	2.50	C	0.53	Normal	Normal
10	GROUND SCREW W/ INSUL #12 LEAD	21	136.82	C	28.73	3.00	C	0.63	Normal	Normal
11	#10x 1 P/H SELF-TAP SCREW	75	6.78	C	5.09	3.00	C	2.25	Normal	Normal
12	1G TGL SWITCH PLATE - NYLON IVY	17	32.80	C	5.58	3.00	C	0.51	Normal	Normal
13	1G DECORATOR PLATE - NYLON IVY	4	68.80	C	2.75	3.00	C	0.12	Normal	Normal
14	20A 120-277V S/P SW - TOGGLE IVY (SG)	13	1,216.06	C	158.09	14.00	C	1.82	Normal	Normal
15	20A 120-277V 3/W SW - TOGGLE IVY (SG)	4	1,298.98	C	51.96	20.00	C	0.80	Normal	Normal
16	120/277V WALL SWITCH AUTO IVY	4	58.00	E	232.00	0.35	E	1.40	Normal	Normal
Totals		2,058			995.98			39.03		

08 DEVICES - LIGHTING / SECOND FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	135	25.40	C	34.29	2.88	C	3.89	Normal	Normal
2	1/2" CONN SS STL - EMT	18	98.10	C	17.66	8.00	C	1.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	9	130.18	C	11.72	0.00	C	0.00	Normal	No Labor
4	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	9	23.80	C	2.14	4.60	C	0.41	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	18	92.32	C	16.62	7.20	C	1.30	Normal	Normal
6	#12 THHN BLACK	441	147.45	M	65.03	5.15	M	2.27	Normal	Normal
7	4x 1 1/2" SQ BOX COMB KO	9	261.57	C	23.54	23.00	C	2.07	Normal	Normal
8	4" SQ 1G PLSTR RING 5/8" RISE	9	166.95	C	15.03	2.50	C	0.23	Normal	Normal
9	GROUND SCREW W/ INSUL #12 LEAD	9	136.82	C	12.31	3.00	C	0.27	Normal	Normal
10	#10x 1 P/H SELF-TAP SCREW	27	6.78	C	1.83	3.00	C	0.81	Normal	Normal
11	1G TGL SWITCH PLATE - NYLON IVY	9	32.80	C	2.95	3.00	C	0.27	Normal	Normal
12	20A 120-277V S/P SW - TOGGLE IVY (SG)	9	1,216.06	C	109.45	14.00	C	1.26	Normal	Normal
Totals		702			312.56			14.21		

08 DEVICES - LIGHTING / THIRD FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	135	25.40	C	34.29	2.88	C	3.89	Normal	Normal
2	1/2" CONN SS STL - EMT	18	98.10	C	17.66	8.00	C	1.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	9	130.18	C	11.72	0.00	C	0.00	Normal	No Labor
4	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	9	23.80	C	2.14	4.60	C	0.41	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	18	92.32	C	16.62	7.20	C	1.30	Normal	Normal
6	#12 THHN BLACK	441	147.45	M	65.03	5.15	M	2.27	Normal	Normal
7	4x 1 1/2" SQ BOX COMB KO	9	261.57	C	23.54	23.00	C	2.07	Normal	Normal
8	4" SQ 1G PLSTR RING 5/8" RISE	9	166.95	C	15.03	2.50	C	0.23	Normal	Normal
9	GROUND SCREW W/ INSUL #12 LEAD	9	136.82	C	12.31	3.00	C	0.27	Normal	Normal
10	#10x 1 P/H SELF-TAP SCREW	27	6.78	C	1.83	3.00	C	0.81	Normal	Normal
11	1G TGL SWITCH PLATE - NYLON IVY	9	32.80	C	2.95	3.00	C	0.27	Normal	Normal
12	20A 120-277V S/P SW - TOGGLE IVY (SG)	9	1,216.06	C	109.45	14.00	C	1.26	Normal	Normal
Totals		702			312.56			14.21		

08 DEVICES - LIGHTING / FOURTH FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	135	25.40	C	34.29	2.88	C	3.89	Normal	Normal
2	1/2" CONN SS STL - EMT	18	98.10	C	17.66	8.00	C	1.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	9	130.18	C	11.72	0.00	C	0.00	Normal	No Labor
4	1/2" CONDUIT SUPPORT FOR ROD OR FLNG	9	23.80	C	2.14	4.60	C	0.41	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	18	92.32	C	16.62	7.20	C	1.30	Normal	Normal
6	#12 THHN BLACK	441	147.45	M	65.03	5.15	M	2.27	Normal	Normal
7	4x 1 1/2" SQ BOX COMB KO	9	261.57	C	23.54	23.00	C	2.07	Normal	Normal
8	4" SQ 1G PLSTR RING 5/8" RISE	9	166.95	C	15.03	2.50	C	0.23	Normal	Normal
9	GROUND SCREW W/ INSUL #12 LEAD	9	136.82	C	12.31	3.00	C	0.27	Normal	Normal
10	#10x 1 P/H SELF-TAP SCREW	27	6.78	C	1.83	3.00	C	0.81	Normal	Normal
11	1G TGL SWITCH PLATE - NYLON IVY	9	32.80	C	2.95	3.00	C	0.27	Normal	Normal
12	20A 120-277V S/P SW - TOGGLE IVY (SG)	9	1,216.06	C	109.45	14.00	C	1.26	Normal	Normal
	Totals	702			312.56			14.21		

13 DEVICES - POWER

13 DEVICES - POWER / BASEMENT

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	525	25.40	C	133.35	2.88	C	15.12	Normal	Normal
2	1/2" CONN SS STL - EMT	70	98.10	C	68.67	8.00	C	5.60	Normal	Normal
3	1/2" COUPLING SS STL - EMT	70	130.18	C	91.13	0.00	C	0.00	Normal	No Labor
4	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	35	92.32	C	32.31	7.20	C	2.52	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	105	69.60	C	73.08	8.20	C	8.61	Normal	Normal
6	#12 THHN BLACK	1,814	147.45	M	267.47	5.15	M	9.34	Normal	Normal
7	WIRE CONN RED (#16 TO #10)	105	12.27	C	12.88	7.00	C	7.35	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	35	261.57	C	91.55	23.00	C	8.05	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	31	166.95	C	51.75	2.50	C	0.78	Normal	Normal
10	4" SQ 2G PLSTR RING 5/8" RISE	4	215.49	C	8.62	2.50	C	0.10	Normal	Normal
11	GROUND SCREW W/ INSUL #12 LEAD	35	136.82	C	47.89	3.00	C	1.05	Normal	Normal
12	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	210	2.75	C	5.78	2.60	C	5.46	Normal	Normal
13	1G DUPLEX REC PLATE - NYLON IVY	29	32.80	C	9.51	2.70	C	0.78	Normal	Normal
14	2G DUPLEX REC PLATE - NYLON IVY	4	77.60	C	3.10	3.90	C	0.16	Normal	Normal
15	1G DECORATOR PLATE - NYLON IVY	1	68.80	C	0.69	3.00	C	0.03	Normal	Normal
16	1G DECOR WP PLATE - DEVICE MNT VERT - ALUM	1	1,676.00	C	16.76	6.00	C	0.06	Normal	Normal
17	20A 125V DUP REC - IVY (SG)	37	1,352.00	C	500.24	20.00	C	7.40	Normal	Normal
18	20A 125V DUP REC - GFCI IVY (SG)	2	5,300.00	C	106.00	25.00	C	0.50	Halted	Normal
	Totals	3,113			1,520.79			72.91		

13 DEVICES - POWER / FIRST FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	1,405	25.40	C	356.87	2.88	C	40.46	Normal	Normal

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
2	1/2" CONN SS STL - EMT	202	98.10	C	198.16	8.00	C	16.16	Normal	Normal
3	1/2" COUPLING SS STL - EMT	202	130.18	C	262.96	0.00	C	0.00	Normal	No Labor
4	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	101	92.32	C	93.24	7.20	C	7.27	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	303	69.60	C	210.89	8.20	C	24.85	Normal	Normal
6	#12 THHN BLACK	5,226	147.45	M	770.57	5.15	M	26.91	Normal	Normal
7	WIRE CONN RED (#16 TO #10)	303	12.27	C	37.18	7.00	C	21.21	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	101	261.57	C	264.19	23.00	C	23.23	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	90	166.95	C	150.26	2.50	C	2.25	Normal	Normal
10	4" SQ 2G PLSTR RING 5/8" RISE	11	215.49	C	23.70	2.50	C	0.28	Normal	Normal
11	GROUND SCREW W/ INSUL #12 LEAD	101	136.82	C	138.19	3.00	C	3.03	Normal	Normal
12	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	606	2.75	C	16.66	2.60	C	15.76	Normal	Normal
13	1G DUPLEX REC PLATE - NYLON IVY	75	32.80	C	24.60	2.70	C	2.02	Normal	Normal
14	2G DUPLEX REC PLATE - NYLON IVY	11	77.60	C	8.54	3.90	C	0.43	Normal	Normal
15	1G DECORATOR PLATE - NYLON IVY	9	68.80	C	6.19	3.00	C	0.27	Normal	Normal
16	1G DECOR WP PLATE - DEVICE MNT VERT - ALUM	6	1,676.00	C	100.56	6.00	C	0.36	Normal	Normal
17	20A 125V DUP REC - IVY (SG)	97	1,352.00	C	1,311.44	20.00	C	19.40	Normal	Normal
18	20A 125V DUP REC - GFCI IVY (SG)	15	5,300.00	C	795.00	25.00	C	3.75	Halted	Normal
Totals		8,864			4,769.20			207.64		

13 DEVICES - POWER / SECOND FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	500	25.40	C	127.00	2.88	C	14.40	Normal	Normal
2	1/2" CONN SS STL - EMT	68	98.10	C	66.71	8.00	C	5.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	68	130.18	C	88.52	0.00	C	0.00	Normal	No Labor
4	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	34	92.32	C	31.39	7.20	C	2.45	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	102	69.60	C	70.99	8.20	C	8.36	Normal	Normal
6	#12 THHN BLACK	1,732	147.45	M	255.38	5.15	M	8.92	Normal	Normal
7	WIRE CONN RED (#16 TO #10)	102	12.27	C	12.52	7.00	C	7.14	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	34	261.57	C	88.93	23.00	C	7.82	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	32	166.95	C	53.42	2.50	C	0.80	Normal	Normal
10	4" SQ 2G PLSTR RING 5/8" RISE	2	215.49	C	4.31	2.50	C	0.05	Normal	Normal
11	GROUND SCREW W/ INSUL #12 LEAD	34	136.82	C	46.52	3.00	C	1.02	Normal	Normal
12	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	204	2.75	C	5.61	2.60	C	5.30	Normal	Normal
13	1G DUPLEX REC PLATE - NYLON IVY	29	32.80	C	9.51	2.70	C	0.78	Normal	Normal
14	2G DUPLEX REC PLATE - NYLON IVY	2	77.60	C	1.55	3.90	C	0.08	Normal	Normal
15	1G DECORATOR PLATE - NYLON IVY	3	68.80	C	2.06	3.00	C	0.09	Normal	Normal
16	20A 125V DUP REC - IVY (SG)	33	1,352.00	C	446.16	20.00	C	6.60	Normal	Normal
17	20A 125V DUP REC - GFCI IVY (SG)	3	5,300.00	C	159.00	25.00	C	0.75	Halted	Normal
Totals		2,982			1,469.59			70.01		

13 DEVICES - POWER / THIRD FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	500	25.40	C	127.00	2.88	C	14.40	Normal	Normal
2	1/2" CONN SS STL - EMT	68	98.10	C	66.71	8.00	C	5.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	68	130.18	C	88.52	0.00	C	0.00	Normal	No Labor
4	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	34	92.32	C	31.39	7.20	C	2.45	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	102	69.60	C	70.99	8.20	C	8.36	Normal	Normal
6	#12 THHN BLACK	1,732	147.45	M	255.38	5.15	M	8.92	Normal	Normal
7	WIRE CONN RED (#16 TO #10)	102	12.27	C	12.52	7.00	C	7.14	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	34	261.57	C	88.93	23.00	C	7.82	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	32	166.95	C	53.42	2.50	C	0.80	Normal	Normal
10	4" SQ 2G PLSTR RING 5/8" RISE	2	215.49	C	4.31	2.50	C	0.05	Normal	Normal
11	GROUND SCREW W/ INSUL #12 LEAD	34	136.82	C	46.52	3.00	C	1.02	Normal	Normal
12	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	204	2.75	C	5.61	2.60	C	5.30	Normal	Normal
13	1G DUPLEX REC PLATE - NYLON IVY	29	32.80	C	9.51	2.70	C	0.78	Normal	Normal
14	2G DUPLEX REC PLATE - NYLON IVY	2	77.60	C	1.55	3.90	C	0.08	Normal	Normal
15	1G DECORATOR PLATE - NYLON IVY	3	68.80	C	2.06	3.00	C	0.09	Normal	Normal
16	20A 125V DUP REC - IVY (SG)	33	1,352.00	C	446.16	20.00	C	6.60	Normal	Normal
17	20A 125V DUP REC - GFCI IVY (SG)	3	5,300.00	C	159.00	25.00	C	0.75	Halted	Normal
Totals		2,982			1,469.59			70.01		

13 DEVICES - POWER / FOURTH FLOOR

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	1/2" CONDUIT - EMT	500	25.40	C	127.00	2.88	C	14.40	Normal	Normal
2	1/2" CONN SS STL - EMT	68	98.10	C	66.71	8.00	C	5.44	Normal	Normal
3	1/2" COUPLING SS STL - EMT	68	130.18	C	88.52	0.00	C	0.00	Normal	No Labor
4	1/2 OR 3/4" SNAP CLOSE CLIP - SIDE MNT TO MTL STUD SUPPORT	34	92.32	C	31.39	7.20	C	2.45	Normal	Normal
5	1/2 OR 3/4" SNAP CLOSE CLIP ON ANGLE BRKT	102	69.60	C	70.99	8.20	C	8.36	Normal	Normal
6	#12 THHN BLACK	1,732	147.45	M	255.38	5.15	M	8.92	Normal	Normal
7	WIRE CONN RED (#16 TO #10)	102	12.27	C	12.52	7.00	C	7.14	Normal	Normal
8	4x 1 1/2" SQ BOX COMB KO	34	261.57	C	88.93	23.00	C	7.82	Normal	Normal
9	4" SQ 1G PLSTR RING 5/8" RISE	32	166.95	C	53.42	2.50	C	0.80	Normal	Normal
10	4" SQ 2G PLSTR RING 5/8" RISE	2	215.49	C	4.31	2.50	C	0.05	Normal	Normal
11	GROUND SCREW W/ INSUL #12 LEAD	34	136.82	C	46.52	3.00	C	1.02	Normal	Normal
12	#8x 3/4 WAFER HEAD SELF-TAP STUD SCREW - 12G	204	2.75	C	5.61	2.60	C	5.30	Normal	Normal
13	1G DUPLEX REC PLATE - NYLON IVY	29	32.80	C	9.51	2.70	C	0.78	Normal	Normal
14	2G DUPLEX REC PLATE - NYLON IVY	2	77.60	C	1.55	3.90	C	0.08	Normal	Normal
15	1G DECORATOR PLATE - NYLON IVY	3	68.80	C	2.06	3.00	C	0.09	Normal	Normal
16	20A 125V DUP REC - IVY (SG)	33	1,352.00	C	446.16	20.00	C	6.60	Normal	Normal
17	20A 125V DUP REC - GFCI IVY (SG)	3	5,300.00	C	159.00	25.00	C	0.75	Halted	Normal
Totals		2,982			1,469.59			70.01		

13 DEVICES - POWER / ROOF

	Description	Quantity	Net Cost	Unit	Total Material	Labor	Unit	Total Hours	Material Condit	Labor Conditio
1	WIRE CONN RED (#16 TO #10)	45	12.27	C	5.52	7.00	C	3.15	Normal	Normal
2	1G 2"D DC ALUM BOX W/ LUGS & 3x 1/2" HUBS GRY	15	6.94	E	104.10	0.30	E	4.50	Normal	Normal
3	1G VERT MNT STD DEPTH WP DUP OR DECOR CVR GRY	15	5.38	E	80.70	0.07	E	1.05	Normal	Normal
4	GROUND SCREW W/ INSUL #12 LEAD	15	136.82	C	20.52	3.00	C	0.45	Normal	Normal
5	#8 TO #10x 7/8 PLAS ANCHOR (3/16)	30	4.26	C	1.28	6.00	C	1.80	Normal	Normal
6	#10x 1 P/H SELF-TAP SCREW	30	6.78	C	2.03	3.00	C	0.90	Normal	Normal
7	20A 125V DUP REC - GFCI IVY (SG)	15	5,300.00	C	795.00	25.00	C	3.75	Halted	Normal
Totals		165			1,009.16			15.60		

	Labor Type	Crew	Hours	Rate \$	SubTotal	Brdn %	Frng \$	Brdn Tot.	Frng Tot.	Total	Full Rate
1	FOREMAN	1.00	387.00	25.00	9,675.00	40.000	1.50	3,870.00	580.50	14,125.50	36.50
2	JOURNEYMAN	2.00	773.99	23.00	17,801.77	40.000	1.50	7,120.71	1,160.99	26,083.47	33.70
3	APPRENTICE	1.00	387.00	15.00	5,805.00	40.000	1.50	2,322.00	580.50	8,707.50	22.50
Totals		4.00	1,547.99	21.50	33,281.77	40.000	1.50	13,312.71	2,321.99	48,916.47	31.60

	Final Pricing	Calculated (\$)	Calculated (%)	Alarm	Code
	Database Material (Extension)	18,004.40			
	Material Total	18,004.40			
	Direct Labor	48,916.47			
	Labor Total	48,916.47			
	Total Cost	66,920.87			
	Database Material Overhead	1,440.35	8.000		
	Labor Overhead	12,229.12	25.000		
	Total Overhead	13,669.47	20.426		
	Database Material Markup	777.79	4.000		
	Labor Markup	8,254.65	13.500		
	Total Markup	9,032.44	11.208		
	Selling Price	89,622.78			
	Final Price	89,622.78			